

OUT57325

TOP SECRET 081731Z

1965 DEC 8 17 41Z 08 DEC 1965

CORONA

ATTN: RESIDENT OFFICE

REF A.

B.

C.

SUBJECT: J-3 DATA BLOCK

1. REF. C, PARAGRAPH 4: PROPOSED AUTOMATIC DBR IS DESIGNED TO READ ANY SILICON LIGHT PULSER TYPE DISPLAY BY HAVING A SET OF INTERCHANGEABLE READING HEADS. THUS, IT CAN ACCOMMODATE ITEM B OR C BY BUILDING AN APPROPRIATE READING HEAD.

2. REF. C, PARAGRAPH 2: [] STRONGLY RECOMMENDS ALTERNATIVE B OVER C (ORIENTED ALONG FILM EDGE RATHER THAN BETWEEN PAN AND H.O. FORMATS) IF DECISION IS SILICON LIGHT PULSER TYPE.

3. REF. C, PARAGRAPH 5: [] HAS NO ADDITION TO ITEMS LISTED IN PARAGRAPH 3.

TOP SECRET

END OF MESSAGE

| 08 DEC 1965 DISTRIBUTION | | |
|-----------------------------|---------|--------|
| Cy No. | Office | Action |
| 1 | File | |
| 2 | OS | |
| | ADMIN | |
| | SEC BR | |
| 8 | P & DS | 25X1 |
| | CSD | |
| | IPD | |
| | PD | |
| | FSD | |
| | ICD-ICB | |
| 3,4 | TID | ✓ |
| | IAD | |
| | PAG | |
| | DIAXX-4 | |
| | SPAD | |
| | NSA-LO | |
| | DIA-AP | |

Advance copy
Sanitized 25X1

25X1

Declassification Review by NGA

25X1

TOP SECRET